




WoodRack Storage System

WRA 001



BORN IN AUSTRALIA



tritontools.com





1



2



3



4



Fig I




Fig II




Fig III




Fig IV



Fig V




Fig VI



Thank you for purchasing this Triton tool. This manual contains information necessary for safe and effective operation of this product. This product has unique features and, even if you are familiar with similar products, it is necessary to read this manual carefully to ensure you fully understand the instructions. Ensure all users of the tool read and fully understand this manual.

Product Familiarisation

1. Uprights x 2
2. Screws x 12
3. Racks x 12
4. Spacers x 6

Assembly

1. The bottom of the Upright (1) has a small screw hole 13mm from the end. Tighten a Screw (2) into this hole, then slide a Rack (3) down the Upright until it locates onto the Screw. The notched side of the Rack (circled in Fig I) must face down
2. Tighten a Screw into the next hole up, then slide another Rack into position (Fig II). Continue this until all Racks are fitted. For alternative Rack positions, drill additional 2.5mm holes. Repeat steps 1 and 2 (Fig I & II) for the remaining Upright and Racks
3. Find a solid mounting location and ensure you are fixing to structural supports when mounting. Space the Uprights around 1200mm to 1800mm (4' to 6') apart. For storage of very long materials use additional WoodRacks
4. Fit the Spacers (4) over the mounting holes (Fig III) and fasten to the wall using the recommended fasteners (not supplied) as outlined below:

Masonry (Fig IV)

Mounting to masonry: Use 6mm masonry anchors suitable for fixing 30 - 40mm thickness.

Storing small items: Construct a simple shelf for any of the levels as shown.

Timber (Fig V)

Mounting to timber: Use 5.5mm hex head wood screws, at least 65mm. Where required, install vertical supports.

Outside use: For weather protection, staple horizontal battens to a plastic sheet then fix the top batten above the racks.

Steel shed (Fig VI)

Mounting to a steel shed: Ensure racks are mounted to structural framework. If steel, use minimum 6mm bolts. If wood, refer to Fig V ('Mounting to timber'). Install floor to roof verticals if required and secure to the steel sheet with fasteners every 300mm.

Warranty

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

This product is covered by a 36 month warranty.

This warranty will not apply:

- (i) where this product has been subjected to misuse, abuse, accident or want of care;
- (ii) where this product has been used for a purpose for which it was not designed or is not suited;
- (iii) where the service of this product has been undertaken by a non-authorised person or company or if non-approved parts have been used;
- (iv) where this product has been used for industrial purposes.

Should service become necessary during the warranty period, the purchaser should contact an Authorised Service Centre or White International. In order to obtain warranty service, the purchaser must present the store receipt showing the name of the retailer and the date of purchase.

The period of the warranty begins from the original date of purchase, notwithstanding any subsequent repair or parts replacement.

Purchaser shall be responsible for all transport charges to and from the Authorised Service Centre.

Damage in transit is not covered by this warranty. The purchaser should remove from the product any liquids (if applicable) before sending the tool for service or repair. The tool should be packed securely to prevent damage.

Warranty exclusions

Wear parts or service related parts required when performing normal and regular maintenance of this product are not covered by warranty unless it is found to be defective by an Authorised Service Centre. These include, but are not limited to: Blades

Distributed in Australia by White International.

PO Box 304 Milperra LPO, NSW Australia, 2214

Ph:1800 251 338

The White International Policy is one of continuous improvement and the company reserves the right to alter designs, colours and specifications without notice.

Guarantee

To register your guarantee visit our web site at www.tritontools.com* and enter your details.

Your details will be included on our mailing list (unless indicated otherwise) for information on future releases. Details provided will not be made available to any third party.

Purchase Record

Date of Purchase: / /

Model: WRA001 Retain your receipt as proof of purchase

Triton Precision Power Tools guarantees to the purchaser of this product that if any part proves to be defective due to faulty materials or workmanship within 3 YEARS from the date of original purchase, Triton will repair, or at its discretion replace, the faulty part free of charge.

This guarantee does not apply to commercial use nor does it extend to normal wear and tear or damage as a result of accident, abuse or misuse.

* Register online within 30 days.

Terms & conditions apply.

This does not affect your statutory rights

